



Magic xpi Supported Connectors in 4.13.1 Release

The following connectors are supported as part of the 4.13.1 release. This list will be updated for each upcoming Magic xpi release. The new connectors supported in 4.13.1 are highlighted here.

Components	Description/Marketing Statement	Change Log/ Since Version
.NET	Enables extending Magic xpi by calling existing .NET modules	
Java	The Magic xpi Connector Builder and Java connector enable extending Magic xpi by making Java calls based on existing Java libraries.	
XML Handling	XML Handling For direct handling and manipulation of XML documents.	
DBTrigger	Based on JDBC this trigger component allows the user to bind xpi Business Logic to your existing Application Data Events.	xpi 4.13
Directory Scanner	Checks local area networks (LAN), and/or FTP directories, to see when new files are created. It also, supports move, delete and rename operations on the files.	
Domino	Accesses calendar entries, email messages, contacts, and document libraries on a Domino server.	
Dynamics 2012 AX	Enables easy connection to a Microsoft Dynamics® AX ERP application.	
Dynamics CRM	Microsoft Dynamics CRM	
Email	Sends and receives email messages using standard communication protocols.	
Encryption	Provides a user-defined security level by maintaining source data security, through various Encryption and Decryption methods.	
Exchange	Enables a Magic xpi project to interact with the Microsoft Exchange Server for Mail, Contacts, Calendar, and Task operation.	
File Archive	Archives (compresses) or extracts one or more files of the same type.	
File Management	Performs various file operations, such as Copy, Rename, Delete, Read, Write, Append, and Create.	
FTP	Rich file management utilities, including opening an FTP connection to a selected server, changing directories, and transferring files.	

File Splitter	Splits a file into several smaller files, and regroups split files.	
Google Calendar	Provides connectivity between Magic xpi and Google Calendar™ for handling events, meetings and alerts.	
Google Drive	Provides connectivity between Magic xpi and Google Drive™ for handling and manipulating documents and their content.	
HL7	Converts an HL7 textual message to an XML structured message & vice versa. It also facilitates sending and receiving HL7 messages over TCP.	
HTTP	Sends and receives HTTP requests.	
IBM i Connector	An adapter for the “IBM i” environment, which has the ability to run commands and read from spool files.	
JD Edwards Enterprise One	Provides connectivity to JD Edwards EnterpriseOne.	
JD Edwards World	Provides connectivity to JD Edwards World.	
JMS	Sends and receives messages to the Java Message Service.	
LDAP	Connects to an LDAP server for storing and accessing attribute- based data in a hierarchical data structure.	
Microsoft Excel	Enables working with Microsoft Excel documents.	
Microsoft Word	Enables working with Microsoft Word documents.	
MQTT	An “Internet of Things” connectivity protocol. Connector enables sending and receiving MQTT messages	
MSMQ	Sends and receives messages to the Microsoft Message Queue.	
Notes DB	Provides connectivity to HCL Lotus Notes databases.	
OData	Connector that enables Providing and consuming of OData services compliant to OData v4 Protocol.	xpi 4.6
REST Client	Enables you consume HTTP based RESTful API.	xpi 4.9
Salesforce	Provides connectivity to Salesforce.	
SAP A1	For use with the SAP A1 system.	
SAP Business One	SAP Business One connectivity with capability of handling business events and triggers	
SAP ERP and SAP A1	A unique adapter to use with the SAP ERP system.	
SAP ERP	Access SAP ERP systems with capabilities of running RFC's and exchanging IDocs.	
ServiceMax	Provides connectivity to ServiceMax™.	
SharePoint	Provides connectivity to Microsoft SharePoint Cloud (D365) or OnPrem application.	
Sugar	An adapter for the Sugar CRM system.	

TCP Listener	Enables Magic xpi to listen continuously for requests made by a TCP client on a TCP port.	
Validation	Checks that the correct data has been used.	
WCF Client	Allows Magic xpi to consume Web services using the Microsoft Windows Communication Foundation (WCF) technology.	xpi 4.5
Web Services	Web Services connector can build SOAP based API endpoint and also access existing ones.	xpi 4.12
IBM WebSphere MQ	Sends and receives messages to the IBM WebSphere® MQ.	
XSLT	Facilitates the transformation of XML documents.	
OPC	An industry standard OPC-UA based connector, enables integration between Enterprise application and Manufacturing unit reading real-time data and events, enabling automatic Business decision making.	xpi 4.13
Real Time Operational Intelligence	Integration to a platform service for the manufacturing domain that provides real-time data and insight, dramatically improving manufacturing productivity.	xpi 4.13.1
Magic xpi Analytics Data Hub	A Datahub Service Platform connector that provides access to on- cloud Data Sources for Analytics and Real-time update or Business KPI's.	xpi 4.13.1
EDI	EDI Service Platform connector that provides a Modern and robust B2B data Exchange platform.	xpi 4.13.1

Services	Description/Marketing Statement	Change Log/ Since Version
Data Mapper	Enables the process of Extraction and transformation process from Multiple format like XML, JSON, CSV and RDBMS Sources.	
Java	The Magic xpi Connector Builder and Java connector enable extending Magic xpi by making Java calls based on existing Java libraries.	
.NET	Enables extending Magic xpi by calling existing .NET modules	



For more information about [Magic xpi](#)